

## Solid timber decking

|

### Glulam Supplies Limited

Hound Farm  
Hound Road  
Netley Abbey  
Southampton  
Hampshire  
SO31 5FS

Tel: 023 8045 7236

Fax: 023 8045 8500

The decking is finger-joined to length to ensure that butt-joints occur over beams. The 38mm and 50mm thick decking is planed to a single T&G profile. The 63mm and 75mm thick decking is planed to a double T&G profile.

It can also be pressure-impregnated with preservative, if required.

### Span tables for solid timber decking

Total distributed load	Single span				Double span				Alternate single and double span			
	Spans in metres for nominal thickness				Spans in metres for nominal thickness				Spans in metres for nominal thickness			
kN/m <sup>2</sup>	38mm	50mm	63mm	75mm	38mm	50mm	63mm	75mm	38mm	50mm	63mm	75mm
1.00	2.2	2.9	3.7	4.5	2.9	3.9	5.0	6.1	2.5	3.3	4.2	5.1
1.25	2.0	2.7	3.5	4.2	2.7	3.6	4.7	5.7	2.3	3.0	3.9	4.7
1.50	1.9	2.5	3.3	4.0	2.6	3.4	4.4	5.3	2.1	2.8	3.7	4.5
1.75	1.8	2.4	3.1	3.8	2.4	3.2	4.2	5.0	2.0	2.7	3.5	4.2
2.00	1.7	2.3	3.0	3.6	2.3	3.1	4.0	4.8	1.9	2.6	3.3	4.0
2.25	1.7	2.2	2.9	3.4	2.2	3.0	3.8	4.6	1.9	2.5	3.2	3.9
2.50	1.6	2.1	2.8	3.3	2.2	2.9	3.7	4.5	1.8	2.4	3.1	3.7
2.75	1.5	2.1	2.7	3.2	2.1	2.8	3.6	4.3	1.7	2.3	3.0	3.6

**Any questions, please call us on 023 8045 7236.**